

**SRI VEERENDRA PATIL.**—So far as the right bank canal is concerned, we have already prepared the estimates and Project Report has been submitted to the Government of India for clearance. I am sorry I do not have the information as to when it has been submitted to the Government of India for clearance and whether there has been undue delay on the part of the Government of India to accord clearance. But the stage has not yet reached to take up this right bank canal. At the moment, we are considering only the Stage II of Ghataprabha. I see that there will be no difficulty in getting the clearance for the right bank canal.

**ಶ್ರೀ ಶರಣಗೌಡ ಇನಾಂದಾರ್.**—ರೆಫ್ ಬ್ಯಾಂಕ್ ಕೆನಾರ್ ಸಮತ್ಯೆ ಒಂದುವೇಳೆ ಅರ್ಬಿಟ್ರೇಷನ್‌ಗೆ ಹೋದಮೇಲೆ ಇದನ್ನು ಮುಗಿಸಬೇಕಾದರೆ ಎಷ್ಟು ದಿವಸ ಬೇಕಾಗುತ್ತೆ? ರೆಫ್ ಬ್ಯಾಂಕ್ ಕೆನಾರ್ ಕೆಲಸ ಯಾವಾಗ ಪ್ರಾರಂಭ ಮಾಡುತ್ತೀರಿ?

**ಶ್ರೀ ವೀರೇಂದ್ರ ಪಾಟೀಲ್.**—ರೆಫ್ ಬ್ಯಾಂಕ್ ಕೆನಾರ್ ಕೆಲಸ ಈಗಾಗಲೇ ಆಗಿದೆ. ರೈಟ್ ಬ್ಯಾಂಕ್ ಕೆಲಸ ಇನ್ನೂ ಆಗಿಲ್ಲ. ಅದಕ್ಕೆ ಕ್ಲಿಯರೆನ್ಸ್ ಬೇಕು ಎನ್ನುವ ಪ್ರಶ್ನೆ ಹೇಳಿದೆ.

**ಶ್ರೀ ಎಸ್. ಎಂ. ಗುರಡ್ಡಿ.**—ಕೃಷ್ಣ ಬೇಸಿನ್‌ನಲ್ಲಿ ಎಷ್ಟು ಕೆಲಸ ನಡೆಸಿದ್ದಾರೆ, ಎಷ್ಟು ನೀರು ಇದೆ? ಅದರ ಸರ್ವೆ ಕೆಲಸವನ್ನು ಕೇಂದ್ರ ಸರ್ಕಾರದವರು ಮಾಡುತ್ತಾರೋ ರಾಜ್ಯ ಸರ್ಕಾರದವರು ಮಾಡುತ್ತಾರೋ?

**ಶ್ರೀ ವೀರೇಂದ್ರ ಪಾಟೀಲ್.**—ನೀರು ಎಷ್ಟು ಇದೆ ಎನ್ನುವುದನ್ನು ಕೇಂದ್ರ ಸರ್ಕಾರದವರು ಈಗಾಗಲೇ ಬೇಕಾದಂಥ ನಿಬ್ಬಂದಿಯನ್ನು ಹಾಕಿ ಕೆಲವು ಅತೆಸ್ ಮಾಡಿಸುತ್ತಿದ್ದಾರೆ.

**ಶ್ರೀ ಹೆಚ್. ಬಿ. ಜ್ಯಾಲನಯ್ಯ.**—ಅಪ್ಪರ್ ಕೃಷ್ಣ ಡ್ಯಾಮ್‌ಗೆ ಎಸ್ಪಿಎಲ್ ಎಷ್ಟು ಖರ್ಚು ಮಾಡುತ್ತೀರಿ? ವರ್ಕ್ಸ್ ಎಷ್ಟು ಆಗಿದೆ?

**ಶ್ರೀ ವೀರೇಂದ್ರ ಪಾಟೀಲ್.**—ಇದಕ್ಕೆ ಪ್ರತ್ಯೇಕ ಪ್ರಶ್ನೆ ಹಾಕಿದರೆ ಇನ್‌ಫರ್ಮೇಷನ್ ಹೇಳುತ್ತೇನೆ.

**Mr. SPEAKER.**—Next question.

**Sri H. N. NANJE GOWDA.**—I have put the question and I have got very important supplementaries. I may be permitted.

**Mr. SPEAKER.**—I have called upon the next question. So, the hon'ble Member should not embarrass me like that. There are ten questions yet to be finished.

### Drinking Water Supply Scheme

183. **Sri P. B. NANDIHALI (Uchagoan).**—

Will the Minister for Development be pleased to answer :—

(a) whether there is a great necessity of Drinking Water Supply Schemes in the following villages of Belgaum Taluk :—

- (1) Yellur,
- (2) Rajhansgad,
- (3) Janewadi,
- (4) Hangarage,
- (5) Santibastwad,
- (6) Basarikatti,
- (7) Khadarwadi;

(SRI P. B. NANDIHALI)

(b) if so, the detailed information about the scheme of each village;

(c) what action Government propose to take in the matter?

4.—SRI P. M. NADGOUDA (Minister for Development).—

(a) Representations have been received from the three villages viz., Rajhansgad, Yellur and Shantibastwad.

(b) The estimate in respect of Shantibastwad is under scrutiny with the Superintending Engineer.

The plans and estimates in respect of the remaining villages are to be prepared after detailed survey work and investigation.

(c) The Executive Engineer has been instructed to take up the investigation early and send the necessary proposals to Government for further action.

SRI P. B. NANDIHALI.—With regard to all these schemes of drinking water, most of the concerned Gram Panchayats and the people are requesting the Government repeatedly to complete the work. But unfortunately the survey work and investigation are going on for years together. Therefore, I request the Government to take some prompt action, give sanction and complete the works immediately.

† SRI P. M. NADGOUDA.—The Government has already issued instructions to the Executive Engineer to prepare the detailed estimates and plans. We have advised him to submit the detailed report immediately.

SRI B. B. SAYANAK.—May I know when the representations were received from these three villages?

SRI P. M. NADGOUDA.—That information is not available. Representation has been received by the Government and it has been forwarded to the appropriate authorities.

SRI P. B. NANDIHALI.—Khadarwadi work is started but left incomplete for want of sanction of the Taluk Development Board. Will you take some action to sanction this work?

SRI P. M. NADGOUDA.—How the Taluk Board is concerned with this I am not able to understand. The Government has sanctioned this. Taluk Boards are not concerned with this National Rural Water Supply.

ಶ್ರೀ ಎಸ್. ಬಂಗಾರಪ್ಪ.—ಈ ಕುಡಿಯುವ ನೀರಿನ ತೊಂದರೆ, ಇಡೀ ಮೈಸೂರು ರಾಜ್ಯದಲ್ಲಿ ಬಹಳ ಸ್ಥಳದಲ್ಲಿದೆ. ಈಗ ನ್ಯಾಶನಲ್ ರೂರಲ್ ವಾಟರ್ ಸಪ್ಲೈ ಸ್ಕೀಂ ಮತ್ತು ರಾಜ್ಯ ಸರ್ಕಾರದ ಸ್ಕೀಂಗಳು ಇವೆ, ಅದಕ್ಕೆ ಒಬ್ಬ ಎಕ್ಸಿಕ್ಯೂಟಿವ್ ಇಂಜಿನಿಯರ್ ಆಫೀಸು ಕೂಡ ಬೆಂಗಳೂರಲ್ಲಿದೆ. ಇವರು ಕೂಡಲೇ ಕಾರ್ಯಗಳನ್ನು ತೆಗೆದುಕೊಳ್ಳದೆ, ವಿಪರೀತ ತಡವಾಗುತ್ತದೆ. ಅದ್ದರಿಂದ ಕೂಡಲೇ ಎಲ್ಲಾ ಕಡೆಯೂ ನೀರು ಒದಗಿಸುವಂತೆ, ಅದಕ್ಕೆ ಬೇಕಾದ ಸರ್ವೆ, ಪ್ಲಾನ್, ಎಸ್ಕಿಮೋ ಎಲ್ಲಾ ತಯಾರು ಮಾಡುವುದಕ್ಕೆ ಸಂಬಂಧಪಟ್ಟ ಅಧಿಕಾರಿಗಳಿಗೆ ಅದನ್ನು ಜಾಗೃತ ಮಾಡುವುದಕ್ಕೆ ಹೇಳಿ ಮಾಡಿಸಿಕೊಡುತ್ತೀರಾ, ಸ್ವಾಮಿ !

Mr. SPEAKER.—This supplementry is beyond the scope of the main question and hence it is disallowed.

Sri B. B. SAYANAK.—May I know whether Government have instructed the authorities concerned not to take up water supply works to the seven villages because according to the Mahajan Commission Report these villages will be merged with Maharashtra ?

Sri P. M. NADGOUDA.—Government is not so narrow minded as the hon'ble member thinks.

### Construction of Road

184. Sri S. BANGARAPPA (Sorab).—

Will the Minister for Public Works be pleased to state :—

(a) whether Government proposes to construct motorable road from Chikkerur (Dharwar District) to Banavasi (North Kanara District) via Yennekoppa, Nagavadi, Nittakki of Sorab Taluk ;

(b) if so, when the work will be started ?

A.—Sri K. LAKKAPPA (Minister for Public Works).—

(a) There is no such proposal for the present.

(b) Does not arise in view of the reply to clause (a) of the question.

ಶ್ರೀ ಎಸ್. ಬಂಗಾರಪ್ಪ.—ಈಗ ಧಾರವಾಡದ ಚಿಕ್ಕರೂರಿಂದ ಸೊರಬ, ಎಜ್ಜೆಕೊಪ್ಪ, ನಾಗವಾಡಿ, ನಿಟ್ಟಕ್ಕಿಯಾಗಿ ಬನವಾಸಿಗೆ ಹೋಗುವ ತಾಲ್ಲೂಕು ಬೋರ್ಡ್ ರೋಡು ಇದೆ. ಅದನ್ನು ಪಿ.ಡಬ್ಲ್ಯು.ಡಿ. ತೆಗೆದುಕೊಂಡು ಜಾಸ್ತಿ ಮಾಡಿ ಮೋಟಾರ್ ರೋಡು ಮಾಡುವುದಕ್ಕೆ ಪರಿಶೀಲನೆ ಮಾಡಿ, ಮಾಡಿಕೊಡುತ್ತೀರಾ ?

ಶ್ರೀ ಕೆ. ಲಕ್ಕಪ್ಪ.—ಚಿಕ್ಕರೂರಿಂದ ಬನವಾಸಿಗೆ ಮೋಟಾರಬಲ್ ರೋಡು ಇದೆ. ಅದು 32 ಮೈಲು ಇದೆ. ನೀವು ಹೇಳಿರುವ ಪ್ರಕಾರ ಇನ್ನೊಂದು ಮೋಟಾರಬಲ್ ರೋಡು ಮಾಡಿದರೆ, ಅದರ ಉದ್ದ ಸುಮಾರು 27 ಮೈಲಿಯಾಗುತ್ತದೆ. ಕೇವಲ 5 ಮೈಲಿ ವ್ಯತ್ಯಾಸಕ್ಕೋಸ್ಕರ ಮೂರು ಲಕ್ಷ ರೂಪಾಯಿ ಅದಕ್ಕೆ ಬರ್ಬಿ ಮಾಡಬೇಕಾಗಿರುವುದರಿಂದ ಇವರ ಅವಶ್ಯಕತೆ ಇಲ್ಲವೆಂದು ನದ್ಯಕ್ಕೆ ಕೈಬಿಟ್ಟಿದ್ದೇವೆ. ಜೊತೆಗೆ ಆ ತಾಲೂಕಿನಲ್ಲಿ ಈಗಾಗಲೇ 50 ಮೈಲಿ ರೂರಲ್ ಕಮ್ಯುನಿಕೇಶನ್ ರೋಡು ಮಾಡಬೇಕೆಂದು ಇದ್ದರೂ ಅವರು 63 ಮೈಲಿ ಜಾಸ್ತಿ ಮಾಡಿದ್ದಾರೆ ಆ ಕಾರಣದಿಂದ ನದ್ಯಕ್ಕೆ ಇದನ್ನು ಮಾಡುವುದು ಕಷ್ಟ. ಅನುಕೂಲವಾದಾಗ ಮಾಡಬಹುದು.

ಶ್ರೀ ಎಸ್. ಬಂಗಾರಪ್ಪ.—ತಮ್ಮ ಉತ್ತರದಿಂದ, ರೂರಲ್ ಕಮ್ಯುನಿಕೇಶನ್ ರೋಡ್ 50 ಮೈಲಿಗಿಂತಲೂ ಜಾಸ್ತಿ ಮಾಡಿದ್ದಾರೆ ಎಂದು ಹೇಳಿದ್ದು ಆಶ್ಚರ್ಯವಾಗುತ್ತದೆ. ಸೊರಬ ತಾಲ್ಲೂಕು ಸರಿಯಾದ ರೋಡು ಕಾಣದಿರತಕ್ಕಂತಹ ಸ್ಥಳ. ದಯವಿಟ್ಟು ಈ ಆಶ್ಚರ್ಯ ಉಂಟು ಮಾಡದೆ, ಪುನಃ ಪರಿಶೀಲನೆ ಮಾಡಿ ಜಾಸ್ತಿ ಮಾಡುವುದಕ್ಕೆ ಪ್ರಯತ್ನ ಮಾಡುತ್ತೀರಾ ?

ಶ್ರೀ ಕೆ. ಲಕ್ಕಪ್ಪ.—ಆಶ್ಚರ್ಯವೇನೂ ಇಲ್ಲ. ನನಗೆ ಒದಗಿಸಿರುವ ಅಂಕಿ ಅಂಶಗಳ ಪ್ರಕಾರ ಈಗಾಗಲೇ 63 ಮೈಲಿಗಳಷ್ಟು ಆರ್.ಸಿ. ರೋಡನ್ನು ಮಾಡಿಸಿದ್ದಾರೆ. ಬಹುಶಃ ಅದು ಪೂರ್ಣವಾಗಿ ಆಗದೇ ಇರಬಹುದು.